



CONNECTING THE VALUE OF VOICE

Fanvil XU Series IP Phones

Fanvil XU series IP phones inherit the classic business appearance and user-friendly UI, make it simple and easy to use. The XU series support excellent HD audio quality, support 6-way local audio conference, which is suitable for various scenarios in all kinds of enterprises. It can level up the work efficiency and enhance the ability of enterprise internal collaboration.



Highlights - Fanvil XU Series IP Phones



Simplicity and Ease of Use

By inheriting the aesthetic design of Fanvil's last generation IP phones, the XU series appearance is elegant, simple and stylish. The intuitive and user-friendly UI, make navigation easy and requires minimal training.



HD Audio Call with Excellent Noise Reduction

The XU series support full HD audio effect, by built-in HD audio handset, HD speakers, and using wideband audio decoding protocol G.722 and Opus. Efficient ANS (Automatic Noise Suppression) technology can reduce the background noise in different environment, and provide you comfortable communication experience.



Support 6-way Audio Conference

The XU series support 6-way audio conference, the conference organizer can invite up to 5 participants to join in the conference, making the collaboration between different departments or organizations easier and more efficiency.



High Scalability with DSS Keys

Line keys can also be adjusted as DSS keys according to the requirements of the configuration to achieve application functions; Each DSS key can be set to LINE /BLF/ speed dial extension, etc., which can be triggered by one click after configuring the change function; DSS key can be configured as multiple functions, such as DTMF to achieve the access control.



Flexible Office Collaboration

The XU series support to connect the EHS wireless earphone through the EHS adapter so you can multitask while making a audio call, and that will greatly improve your work efficiency.



Flexible Installation for Multiple Scenes

The XU series support PoE through a network cable to complete the telephone power supply and networking. 45° or 50° angle installation mode for desktop scenario, or wall-mount mode with the external wall bracket accessories WB101 (additional purchase), which can meet the needs of various office environment.



Fanvil XU Series IP Phones




Model	X3U	X3U Pro	X4U
OS	Linux	Linux	Linux
Main Screen	2.8" LCD, 320*240	2.8" LCD, 320*240	2.8" LCD, 320X240
Other Screens	×	×	2.4" LCD, 320X240
Video call	×	×	×
Wideband speech coding	G.722,Opus	G.722,Opus	G.722,Opus
Narrow band speech coding	G.711a/u, G.726-32K, G.729A/B, iLBC , G723.1	G.711a/u, G.723.1, G.726, G.729A/B, iLBC	G.711a/u, G.723.1, G.726-32K, G.729A/B, AMR, iLBC
Audio conferencing	3-way local conference	6-way local conference	3-way local conference
Lines	6	6	12
Dss Key	×	×	30
Directory	1000	1000	1000
IPv6	✓	✓	✓
WiFi	×	×	Using additional WiFi adapter
PoE	✓	✓	✓
LAN	10/100/1000 Mbps	10/100/1000 Mbps	10/100/1000 Mbps
Bluetooth	×	×	Using additional BT dongle
EHS	✓	✓	✓
Installation	Desktop installationWall-mount installation (via independent accessories)	Desktop installationWall-mount installation (via independent accessories)	Desktop installationWall-mount installation (via independent accessories)

Fanvil XU Series IP Phones



Model	X5U/X5U-R	X6U
OS	Linux	Linux
Main Screen	3.5" LCD, 480X320	4.3" LCD, 480X272
Other Screens	2.4" LCD, 320X240	2*2.4" LCD, 320X240
Video call	×	Receive video call
Wideband speech coding	G.722,Opus	G.722,Opus
Narrow band speech coding	G.711a/u, G.723.1, G.726-32K, G.729A/B, AMR, iLBC	G.711a/u, G.723.1, G.726-32K, G.729A/B, AMR, iLBC
Audio conferencing	3-way local conference	3-way local conference
Lines	16	20
Dss Key	30	60
Directory	2000	2000
IPv6	✓	✓
WiFi	✓	✓
PoE	✓	✓
LAN	10/100/1000 Mbps	10/100/1000 Mbps
Bluetooth	Built-in BT2.1 module	Built-in BT2.1 module
EHS	✓	✓
Installation	Desktop installationWall-mount installation (via independent accessories)	Desktop installationWall-mount installation (via independent accessories)

COMPATIBILITY



Fanvil

Fanvil Technology Co., Ltd

Add: 10/F Block A, Dualshine Global Science Innovation Center, Honglang North
2nd Road, Bao'an District, Shenzhen, China
Tel: +86-755-2640-2199 Fax: +86-755-2640-2618
Email: sales@fanvil.com support@fanvil.com
Web: www.fanvil.com